S-4280.1			

State of Washington

19

## SENATE BILL 6673

55th Legislature

1998 Regular Session

\_\_\_\_\_

By Senators Schow, T. Sheldon, Horn, Hochstatter, Hale and Swecker
Read first time 01/27/98. Referred to Committee on Commerce & Labor.

- 1 AN ACT Relating to exempting computer wires and fiber optic cables
- 2 from electrical wiring requirements; and amending RCW 19.28.010.
- 3 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF WASHINGTON:
- 4 **Sec. 1.** RCW 19.28.010 and 1993 c 275 s 2 are each amended to read 5 as follows:
- 6 (1) All wires and equipment, and installations thereof, that convey electric current and installations of equipment to be operated by 8 electric current, in, on, or about buildings or structures, except for computer wires and fiber optic cables; telephone, telegraph, radio, and 9 10 television wires and equipment((-)); and television antenna installations, signal strength amplifiers, and coaxial installations 11 pertaining thereto shall be in strict conformity with this chapter, the 12 13 statutes of the state of Washington, and the rules issued by the 14 department, and shall be in conformity with approved methods of 15 construction for safety to life and property. All wires and equipment that fall within section 90.2(b)(5) of the National Electrical Code, 16 17 1981 edition, are exempt from the requirements of this chapter. regulations and articles in the National Electrical Code, the national 18

electrical safety code, and other installation and safety regulations

p. 1 SB 6673

approved by the national fire protection association, as modified or 1 2 supplemented by rules issued by the department in furtherance of safety to life and property under authority hereby granted, shall be prima 3 4 facie evidence of the approved methods of construction. All materials, 5 devices, appliances, and equipment used in such installations shall be of a type that conforms to applicable standards or be indicated as 6 7 acceptable by the established standards of any electrical product 8 testing laboratory which is accredited by the department. Industrial 9 control panels, utilization equipment, and their components do not need 10 to be listed, labeled, or otherwise indicated as acceptable by an accredited electrical product testing laboratory unless specifically 11 required by the National Electrical Code, 1993 edition. 12

- (2) Residential buildings or structures moved into or within a county, city, or town are not required to comply with all of the requirements of this chapter, if the original occupancy classification of the building or structure is not changed as a result of the move. This subsection shall not apply to residential buildings or structures that are substantially remodeled or rehabilitated.
- 19 (3) This chapter shall not limit the authority or power of any city 20 or town to enact and enforce under authority given by law, any ordinance, rule, or regulation requiring an equal, higher, or better 21 standard of construction and an equal, higher, or better standard of 22 materials, devices, appliances, and equipment than that required by 23 24 this chapter. A city or town shall require that its electrical 25 inspectors meet the qualifications provided for state electrical 26 inspectors in accordance with RCW 19.28.070. In a city or town having an equal, higher, or better standard the installations, materials, 27 devices, appliances, and equipment shall be in accordance with the 28 29 ordinance, rule, or regulation of the city or town. Electrical 30 equipment associated with spas, hot tubs, swimming pools, and hydromassage bathtubs shall not be offered for sale or exchange unless 31 the electrical equipment is certified as being in compliance with the 32 33 applicable product safety standard by bearing the certification mark of an approved electrical products testing laboratory. 34
- 35 (4) Nothing in this chapter may be construed as permitting the 36 connection of any conductor of any electric circuit with a pipe that is 37 connected with or designed to be connected with a waterworks piping 38 system, without the consent of the person or persons legally

SB 6673 p. 2

13

14

15

16

17

18

- 1 responsible for the operation and maintenance of the waterworks piping
- 2 system.

--- END ---

p. 3 SB 6673